



Spok Go[®] –File Upload Specifications
User Info

Version 2.1

Table of Contents

Table of Contents.....	1
Introduction	3
Scope	3
Intended Audience & Use.....	3
Requirements.....	4
System Requirements	4
Resource Requirements.....	4
Connection Requirements	4
File Formatting Expectations.....	5
Field Formatting Expectations.....	5
Field Mapping.....	6
Data Upload Details	10
Integration Risks	11
Integration Success Criteria.....	12

Introduction

This document is intended to be a guide to help the reader understand the Spok Go User Info File Upload.

Scope

This document describes the requirements and technical specifications for the proper use of the data file upload.

Intended Audience & Use

This document is intended for all personnel involved in the administration and support of the data file upload (specific to user data) as well as the users of the Spok Go system to which the uploaded user data will be inserted or updated. The document has the following intended uses:

- Validation of data to be loaded and understanding of the processes and requirements/business rules for the data file upload.
- Understanding by Spok's Professional Services Group (PSG) as well as the Spok Go customer regarding the technical specification and supported layout of the data file upload.
- A development specification and reference for the data file upload.

Requirements

The following sections will outline the various requirements for the success of the Spok Go User Info File Upload.

System Requirements

The following are system requirements.

- A comma separated file called `userinfodataload.[CCYYMMDDHHMMSS].csv` (where `[CCYYMMDDHHMMSS]` is the date/time of the file's creation by the source system) with fields in the order that is defined later in this document.
- An SFTP client (SFTP enables file transfers over SSH) that is capable of transferring files to Spok Go's on-premises Gateway.

Resource Requirements

The following resources will be required for implementation of the Spok Go User Info File Upload:

- A Customer's Source System Data Administrator - this resource is responsible for the creation of the previously mentioned `userinfodataload.[CCYYMMDDHHMMSS].csv` as well as for the data integrity of the file.
- Spok Professional Service Group (PSG) resource - this resource is responsible for enabling the Spok Go File Upload connector for the Customer's Spok Go system as well as for guiding the Customer through using these specifications for the creation and transfer of the user info file.

Connection Requirements

The following are the connection parameters to the on-premise Gateway for the Spok Go User Info File Upload:

GATEWAY : [FQDN or IP address of the Gateway's Load Balancer]
USERNAME : [Auto-generated during setup, provided by PSG resource]
PASSWORD : [Auto-generated during setup, provided by PSG resource]
PORT : 22

File Formatting Expectations

Each row in the CSV file represents one user record. The v2.1 version of the Spok Go User Info File Upload specifications supports a maximum of 29 fields and therefore expects 28 “,” commas to delimit the first 28 fields.

Then, instead of a “,” comma, the 29th or last field for each record should be terminated with a carriage return/line feed combo (CRLF) unless it is the last or only record in a file in which case the terminating CRLF is optional.

Field Formatting Expectations

The `userinfodataload.[CCYYMMDDHHMMSS].csv` file will utilize a simple set of three characters to separate fields, sub-fields separators and repetitions within fields.

- A “,” comma is used to separate fields
- A “;” semi-colon is used to separate sub-fields within a single field
- A “|” pipe character is used to separate one-to-many repetitions of data in a single field

The use of any of these characters as actual data within any of the fields that are defined below is not supported.

Operation Expectations

This file supports two types of operations. This can be specified in column 3 (C):

- ‘FULL’ = This operation will process all supported fields in the specification.
- ‘STATUS’ = This operation will only process the ‘Status’ field for an existing record. All other fields will be ignored. This operation looks at users by unique ID. If no record is found, an error is logged.
 - Refer to column Operation STATUS Required

Field Mapping

The following table shows which user-related attributes can be loaded into the Spok database in the field order that follows.

Fields in this table are both numbered and lettered (ex: 5(E)) to aid in counting and referring to specific fields as well as for providing an easy cross-reference to alpha column headers if the file is viewed in a spreadsheet application.

Field	Description	Required for FULL Operation	Supports Repeats for FULL Operation	Required for STATUS Operation	Format	Spok attribute
1(A) Targeted Spec Version	Version of the specs that the provided file is targeting	✓		✓	Expected value: 2.1	
2(B) File Type	Specifies the file's purpose for subsequent processing within Spok Go	✓		✓	Expected value: USER	
3(C) Operation	Indicates whether the import will be a full metadata import or status only	✓		✓	Expected value: "FULL" or "STATUS"	
4(D) Unique ID	A unique ID for an employee from the file's source system	✓		✓	uniqueID	External ID – This field is used to look up existing users for update.
5(E) Other Known IDs with Producer Codes ³	Other IDs that identify the user with supported Producer Codes		✓		otherID;producerCode	External reference ID(s) and Attribute(s)
6(F) Title	Employee title					User's title
7(G) Salutation	An employee's preferred salutation					Common salutations include Mr., Ms., Mrs. and Miss
8(H) First Name	First name	✓				User's first name
9(I) Preferred Name	An employee's preferred name					An alternative name that is preferred by the employee. Something like "Joe" or "Kris" instead of "Joseph" or "Kristin".
10(J) Middle Name	Middle Name					User's middle name
11(K) Last Name	Last name	✓				User's last name
12(L) Suffix	Suffix (i.e. Jr, Sr, I, II, etc.)					User's suffix
13(M) Post-Nominals	Employee Credential Abbreviations (ex: MD, RN)		✓			User's credentials

Spok, Inc.

Spok Go File Upload Specs
User Info

Field	Description	Required for FULL Operation	Supports Repeats for FULL Operation	Required for STATUS Operation	Format	Spok attribute
			Snapshot Update ⁴			
14(N) User Aliases	Other names by which the user might be known		✓ Snapshot Update ⁴		A single repetition for each unformatted alias name (ex: "firstname middlename lastname")	A list of a user's aliases

Field	Description	Required for FULL Operation	Supports Repeats for FULL Operation	Required for STATUS Operation	Format	Spok attribute
15(O) Email ⁵	Email Address	✓			email;publicFlag	Upon creation of the user, this will be used as the user's username for login to Spok Go. Existing users will be looked up by email if an External ID is not provided.
16(P) Phone Numbers with Public/Private Flag ⁶	Phone numbers for users		✓			PhoneNumber;Public Flag;PhoneType If the PUBLIC/PRIVATE flag is not received, the number will be set with a "PUBLIC" flag by default.
17(Q) ProcessPagers	Indicates whether 18(R) and 19(S) will be processed or Ignored	✓	✓	✓	FieldOperation	Process or Ignore
18(R) PagerExternalIds	Unique ID of device from external system		✓ Snapshot Update ⁴			To process this field 17(Q) FieldOperation must be set to Process
19(S) PagerNumbers	Pager number corresponding to the pager					To process this field 17(Q) FieldOperation must be set to Process
20(T) ProcessCommunicationNotes	Indicates whether the 21(U) will be processed or Ignored	✓	✓	✓	FieldOperation	Process or Ignore
21(U) Communication Notes	Notes for users viewable from Global Search		<input type="checkbox"/> Snapshot Update ⁴			To process this field 20(T) FieldOperation must be set to Process
22(V) Specialties ⁷	Doctor Specialties		✓ Snapshot Update ⁴		Specialty name(s)	User's list of specialties
23(W) Specialties External Ids			✓		Specialty External Ids	External Ids of the Specialties

Spok, Inc.

Spok Go File Upload Specs
User Info

Field	Description	Required for FULL Operation	Supports Repeats for FULL Operation	Required for STATUS Operation	Format	Spok attribute
			Snapshot Update ⁴			
24(X) Department ⁸	Practitioner Departments		✓ Snapshot Update ⁴		Department name(s)	User's list of departments
25(Y) Department External Ids	Practitioner Departments		✓ Snapshot Update ⁴		Department External Ids	External Ids of the Departments
26(Z) Associated Facilities ⁹	Facilities(s) to which the employee is most closely associated		✓ Snapshot Update ⁴		Facility name(s)	RegionName;FacilityName RegionName;FacilityName
27(AA) Associated Facilities External Ids	Facilities(s) to which the employee is most closely associated		✓ Snapshot Update ⁴		Facility external id(s)	FacilityId FacilityId
28(AB) Status	Activate or Inactivate a User Record	✓		✓	"ACTIVE" or "INACTIVE"	User's status value
29(AC) Timestamp	Date and time the new/updated user record was written to the file	✓		✓	CCYYMMDDHHMMSS	

Data Upload Details

The following section explains field-level specifics that should help ensure the successful implementation of the Spok Go User Info File Upload.

Fields and/or sub-fields that are **grayed-out** are reserved for future use and will not be used when adding or updating a Spok Go user's info at this time. However, these fields and sub-fields can still be populated in preparation for their planned purpose without negatively impacting the processing of a user record.

- 1) Note that if this file is viewed in a spreadsheet application, these fields may not display as intended due to the application's default field formatting. Changing the displayed format of these fields' columns should allow a reviewer to see the column's contents as expected.
- 2) The Unique ID in the 4th field will be used for identifying records in the Spok Go application and be able to determine the need of adding new or update existing user records. If a Unique ID is not present, users will be updated based on a match on the user email/username.
- 3) Other known IDs that are supported and which would be visible and maintainable by a customer's Spok Go Admin would be user identifiers from Epic (producer code "Epic") and Cerner (producer code "Cerner") as well as provider NPI numbers (producer code "NPPES").

Other possibly known IDs for a user, if sent, will simply be ignored without affecting the processing of the rest of the user's info.

- 4) Repeating fields noted with "Snapshot Update" will replace a user's existing values with new values as they are received in one of these fields. This handling also applies to the receipt of empty fields which will remove any existing data for a previously populated field.
- 5) Further validation of the uniqueness of each user's email address will occur at the time a user record is added/updated for records with External IDs. Non-unique email addresses will result in logged errors/exceptions that will require the intervention of an Organization Admin to correct in either the originating source system or within Spok Go. For records in Spok Go without an External ID, records will be look up for updates based on a match on the user's email.
- 6) For communication methods where the Public/Private field or sub-field is supported, any value other than "PRIVATE", even an empty field, will result in the attribute being set as "PUBLIC" (viewable by any Spok Go users). Only the word "PRIVATE" in the correct field or sub-field will set the attribute as "PRIVATE" (only viewable by operators, Administrators, and by the user).
- 7) Specialty values for an employee will be matched against a customer's existing list of possible Specialties within Spok Go. Received Specialties that match a customer's existing Specialty list will be added to a user's record. Received Specialties that do not match a customer's existing Specialty list will be skipped and logged for possible follow-up by an Organization Admin.
- 8) Department values for an employee will be matched against a customer's existing list of possible Departments within Spok Go. Received Departments that match a customer's existing Department list will be added to a user's record. Received Departments that do not match a customer's existing Department list will be skipped and logged for possible follow-up by an Organization Admin.
- 9) Any facility(ies) to which a user is associated must match existing location values that has already been built in Spok Go.

Spok, Inc.

Spok Go File Upload Specs
User Info

Integration Risks

The following are possible risks that have been identified:

- Non-curated source data with duplicates or inaccurate data.
- Irregular or inconsistent output of files from source system.
- Poorly formatted CSV files
- Inclusion of incorrect data that cannot be corrected by subsequent user info file uploads (ex: user specialties and departments)

Integration Success Criteria

The integration will be considered successful if the following criteria are met:

- The Spok Go User Info File Upload is implemented per the specifications in this document and users and their user data are being added and updated as expected.