

Spok Go® - File Upload Specifications On-Call Groups

Version 2.1

# **Table of Contents**

| Table of Contents             |                              |
|-------------------------------|------------------------------|
| Introduction                  | 3                            |
| Scope                         | 3                            |
|                               | 3                            |
| Requirements                  | 4                            |
| System Requirements           | 4                            |
| Resource Requirements         | 4                            |
| Connection Requirements       | 4                            |
| File Formatting Expectations  | 5                            |
| Field Formatting Expectations | Error! Bookmark not defined. |
| Other Considerations          | 5                            |
|                               | 6                            |
| Data Upload Details           | 8                            |
|                               | 9                            |
| Integration Success Criteria  | 10                           |
| Revision History              | 11                           |

#### Introduction

This document is intended to be a guide to help the reader understand the Spok Go On-Call Group File Upload.

#### Scope

This document describes the requirements and technical specifications for the proper use of the data file upload.

#### Intended Audience & Use

This document is intended for all personnel involved in the administration and support of the data file upload (specific to on-call data) as well as the users of the Spok Go system to which the uploaded on-call data will be inserted or updated. The document has the following intended uses:

- Validation of data to be loaded and understanding of the processes and requirements/business rules for the data file upload.
- Understanding by Spok's Professional Services Group (PSG) as well as the Spok Go customer regarding the technical specification and supported layout of the data file upload.
- A development specification and reference for the data file upload.

### Requirements

The following sections will outline the various requirements for the success of the Spok Go On-Call Group File Upload.

#### System Requirements

The following are system requirements.

- A comma separated file called oncallgroupdataload. [CCYYMMDDHHMMSS].csv (where [CCYYMMDDHHMMSS] is the date/time of the file's creation by the source system) with fields in the order that is defined later in this document.
- An SFTP client (SFTP enables file transfers over SSH) that is capable of transferring files to Spok Go's on-premises Gateway.

#### Resource Requirements

The following resources will be required for implementation of the Spok Go On-Call Group File Upload:

- A Customer's Source System Data Administrator this resource is responsible for the creation of the previously mentioned oncallgroupdataload. [CCYYMMDDHHMMSS].csv as well as for the data integrity of the file.
- Spok Professional Service Group (PSG) resource this resource is responsible for enabling the Spok Go File Upload connector for the Customer's Spok Go system as well as for guiding the Customer through using these specifications for the creation and transfer of the On-Call Group file.

#### **Connection Requirements**

The following are the connection parameters to the on-premise Gateway for the Spok Go On-Call Group File Upload:

GATEWAY : [FQDN or IP address of the Gateway's Load Balancer]

USERNAME : [Auto-generated during setup, provided by PSG resource]

PASSWORD : [Auto-generated during setup, provided by PSG resource]

PORT : 22

### File Formatting Expectations

Each row in the CSV file represents one on-call group record. The v2.1 version of the Spok Go On-Call Group File Upload specifications supports a maximum of 18 fields and therefore expects 17 "," commas to delimit the first 11 fields.

Then, instead of a "," comma, the 18<sup>th</sup> or last field for each record should be terminated with a carriage return/line feed combo (CRLF) unless it is the last or only record in a file in which case the terminating CRLF is optional.

The oncallgroupdataload. [CCYYMMDDHHMMSS].csv file will utilize a simple set of three characters to separate fields, sub-fields separators and repetitions within fields.

- A "," comma is used to separate fields
- A ";" semi-colon is used to separate sub-fields within a single field
- A "|" pipe character is used to separate one-to-many repetitions of data in a single field

The use of any of these characters as actual data within any of the fields that are defined below is not supported.

### Other Considerations

4 pre-requisites for uploading on-call groups...

- 1. Pre-loaded users with external IDs
- 2. Spok Go's possible functional roles are built and ready
- 3. Spok Go's location hierarchy (including facilities with time zones) is in place

Conditionally required for uploading on-call groups...

- Specialties necessary if specialty association exists in the source system and the desire is to continue those associations in Spok Go.
- 2. Departments necessary if department association exists in the source system and the desire is to continue those associations in Spok Go.

Note: For Specialties and Departments, If both names and externallds are provided, externallds will be used for the imports.

Not supported...

Spok Go does not support the use or association of devices to an on-call group.

### **Operation Expectations**

This file supports two types of operations. This can be specified in column 3 (C):

- 'FULL' = This operation will process all supported fields in the specification.
- 'STATUS' = This operation will <u>only</u> process the 'Status' field for an existing record. All other fields will be ignored. This operation looks at users by unique ID. If no record is found, an error is logged.
  - Refer to column Operation STATUS Required

Spok, Inc.

## Field Mapping

The following table shows which on-call details can be loaded into the Spok database in the field order that follows.

Fields in this table are both numbered and lettered (ex: 5(E)) to aid in counting and referring to specific fields as well as for providing an easy cross-reference to alpha column headers if the file is viewed in a spreadsheet application.

|       |                       |  | Required for FULL | Supports<br>Repeats for<br>FULL | Required for STATUS                             |  |   |
|-------|-----------------------|--|-------------------|---------------------------------|---|--|---|
| Field |                       | Description  | Operation         | Operation                       | Operation                                       | Format   | Spok attribute  |
| 1(A)  | Targeted Spec Version | Version of the specs that the provided file is targeting                   | ✓                 |                                 | ✓   | Expected value: 2.1                                  |   |
| 2(B)  | File Type             | Specifies the file's purpose for subsequent processing within Spok Go      | ✓                 |                                 | ✓   | Expected value:<br>ON-CALL-GROUP                     |   |
| 3(C)  | Operation             | Indicates whether the import will be a full metadata import or status only | ✓                 |                                 | <b>✓</b>  | Expected value: "FULL" or "STATUS"                   |   |
| 4(D)  | On-Call Group Name    | Name of the On-Call Group (preferably unique to a facility)                | ✓                 |                                 |   |  |   |
| 5(E)  | Unique ID             | Unique identifier for the specified on-call group                          |                   |                                 | If not available, the name will suffice in 4(D) | uniqueID;  | External system ID  |
| 6(F)  | Region                | Tenant-related region to which the on-call group is associated             | ✓                 |                                 |   |  | Must match and existing Region for the tenant in Spok Go  |
| 7(G)  | Facility <sup>2</sup> | Tenant-related facility to which the on-call group is associated           | ✓                 |                                 |   |  | Must match and existing Facility for the tenant in Spok Go  |
| 8(H)  | FacilityExternalId    | Unique ID for facility from source system                                  | ✓                 |                                 |   | uniqueID   | External System Id  |
| 9(I)  | Scheduler(s)          | User(s) that are authorized as schedulers for the on-call group.           | <b>√</b>          | <b>✓</b>                        |   | staffUniqueId;<br>lastName;<br>firstName             | An on-call group scheduler's status within an on-call group will be inherited from their user's directory status. |
| 10(J) | Status                | An on-call group's Active/Inactive status.                                 | ✓                 |                                 | <b>√</b>  | "ACTIVE" or "INACTIVE"                               |   |
| 11(K) | On-Call Role(s)       | One-to-many functional roles (previously built/exist in Spok Go)           | ✓                 | ✓                               |   | roleName;<br>RoleUniqueId;<br>"PUBLIC" or "PRIVATE"; | The order in which functional roles are received for an on-call   |

Spok, Inc.

Spok Go File Upload Specs On-Call Groups

|        |                          |   | Required for FULL | Supports<br>Repeats for<br>FULL | Required for STATUS |  |   |
|--------|--------------------------|---|-------------------|---------------------------------|---------------------|--|---|
| Field  |                          | Description   | Operation         | Operation                       | Operation           | Format   | Spok attribute  |
|        |                          | that are associated to the on-call group including the role is publicly searchable and/or required. |                   |                                 |                     | "REQUIRED" or "OPTIONAL"; PagerNumber; PagerUniqueId | group will set the priority order for<br>the roles in Spok Go.<br>pagerNumber is optional.  |
| 12(L)  | Specialties <sup>3</sup> | Doctor Specialties  |                   | ✓                               |                     | Specialty name(s)                                    | The specialties that are associated with an on-call group.  |
| 13(M)  | SpecialtyExternalIds     | Unique ID for specialty from source system if one exists  |                   |                                 |                     | List of Uniquelds                                    | External ID   |
| 14(N)  | Department <sup>4</sup>  | Practitioner Departments  |                   | ✓                               |                     | Department name(s)                                   | The departments that are associated with an on-call group.  |
| 15(O)  | DepartmentExternalIds    | Unique ID for department from source system if one exists   |                   |                                 |                     | List of Uniquelds                                    | External ID   |
| 16(P)  | On-Call Group<br>Members | Name and unique identifiers for each on-call group member   | <b>√</b>          | <b>√</b>                        |                     | staffUniqueId;<br>lastName;<br>firstName             | An on-call group member's status within an on-call group will be inherited from their user record's directory status.  lastName; firstName is optional. |
| 17 (Q) | Notes                    | Any note associated with the On-Call Group  |                   |                                 |                     | String   |   |
| 18®    | Timestamp                | Date and time the new/updated on-<br>call record was written to the file                            | <b>√</b>          |                                 |                     | CCYYMMDDHHMMSS                                       |   |

Page 7 of 11

### **Data Upload Details**

The following section explains field-level specifics that should help ensure the successful implementation of the Spok Go On-Call Group File Upload.

- Note that if this file is viewed in a spreadsheet application, these fields may not display as intended due to the application's default field formatting. Changing the displayed format of these fields' columns should allow a reviewer to see the column's contents as expected.
- 2) If on-call info is received for a facility that does not have a time zone set, the on-call group will not be uploaded.
- 3) Specialty values for an on-call group will be matched against a customer's existing list of possible Specialties within Spok Go by unique ID (if one exists) or by name. Received Specialties that match a customer's existing Specialty list will be added to an on-call group. Received Specialties that do not match a customer's existing Specialty list will be skipped and logged for possible follow-up by an Organization Admin. Be sure to note that while an on-call group's Specialty info can be updated/changed via the On-Call File Upload, it is not possible to remove all Specialty records from an on-call group via the On-Call File Upload.
- 4) Department values for an on-call group will be matched against a customer's existing list of possible Departments within Spok Go by unique ID (if one exists) or by name. Received Departments that match a customer's existing Department list will be added to an on-call group. Received Departments that do not match a customer's existing Department list will be skipped and logged for possible follow-up by an Organization Admin. Be sure to note that while an on-call group's Department info can be updated/changed via the On-Call File Upload, it is not possible to remove all Department records from an on-call group via the User File Upload.

## **Integration Risks**

The following are possible risks that have been identified:

- Non-curated source data with duplicates or inaccurate data.
- Irregular or inconsistent output of files from source system.
- Poorly formatted CSV files
- Inclusion of incorrect data that cannot be corrected by subsequent on-call file upload (ex: incorrect on-call group names)

# Integration Success Criteria

The integration will be considered successful if the following criteria are met:

• The Spok Go On-Call Group File Upload is implemented per the specifications in this document and On-Call Groups and Members are being added and updated as expected.

# **Revision History**

The table that follows will provide a history of changes that are made to this document.

| Date       | Comment(s)  | Author         |
|------------|---|----------------|
| 2020.02.12 | Initial v1.0 of these specs   | Todd Thomas    |
| 2020.05.26 | Minor changes to the formatting of title page, footer layout and file name.   | Todd Thomas    |
| 2020.06.23 | Changed the font color of all rows/cells in the Field Mapping table to black to indicate that all of the fields are supported.                                  | Todd Thomas    |
| 2020.07.01 | Removed "Draft" watermark before publishing to Spok Knowledge.  | Todd Thomas    |
| 2020.11.10 | Added field to represent external ID's from Spok consoles or other third party systems. Removed requirement for producer code from On-Call Group Members field. | Zach Hanson    |
| 2020.11.19 | Version updates for 1.2   | Paola Gonzalez |
| 2021.3.22  | Version updates for 2.1   | Sunil Bhujle   |