

Spok Go[®] –File Upload Specifications User Info

Version 3.0

Table of Contents

| Table of Contents1 |
|------------------------------|
| Introduction |
| Scope |
| Intended Audience & Use3 |
| Requirements4 |
| System Requirements4 |
| Resource Requirements4 |
| Connection Requirements4 |
| File Formatting Expectations |
| Field Formatting |
| Field Mapping6 |
| Data Upload Details |
| Integration Risks |
| Integration Success Criteria |
| Revision History 15 |

Introduction

This document is intended to be a guide to help the reader understand the Spok Go User Info File Upload.

Scope

This document describes the requirements and technical specifications for the proper use of the data file upload.

Intended Audience & Use

This document is intended for all personnel involved in the administration and support of the data file upload (specific to user data) as well as the users of the Spok Go system to which the uploaded user data will be inserted or updated. The document has the following intended uses:

- Validation of data to be loaded and understanding of the processes and requirements/business rules for the data file upload.
- Understanding by Spok's Professional Services Group (PSG) as well as the Spok Go customer regarding the technical specification and supported layout of the data file upload.
- A development specification and reference for the data file upload.

Requirements

The following sections will outline the various requirements for the success of the Spok Go User Info File Upload.

System Requirements

The following are system requirements.

- A comma separated file called userinfodataload. [CCYYMMDDHHMMSS].csv (where [CCYYMMDDHHMMSS] is the date/time of the file's creation by the source system) with fields in the order that is defined later in this document.
- An SFTP client (SFTP enables file transfers over SSH) that is capable of transferring files to Spok Go's on-premises Gateway.

Resource Requirements

The following resources will be required for implementation of the Spok Go User Info File Upload:

- A Customer's Source System Data Administrator this resource is responsible for the creation of the previously mentioned userinfodataload. [CCYYMMDDHHMMSS].csv as well as for the data integrity of the file.
- Spok Professional Service Group (PSG) resource this resource is responsible for enabling the Spok Go File Upload connector for the Customer's Spok Go system as well as for guiding the Customer through using these specifications for the creation and transfer of the user info file.

Connection Requirements

The following are the connection parameters to the on-premise Gateway for the Spok Go User Info File Upload:

| GATEWAY | : [FQDN or IP address of the Gateway's Load Balancer] |
|----------|-----------------------------------------------------------|
| USERNAME | : [Auto-generated during setup, provided by PSG resource] |
| PASSWORD | : [Auto-generated during setup, provided by PSG resource] |
| PORT | : 22 |

File Formatting Expectations

Each row in the CSV file represents one user record. The v3.0 version of the Spok Go User Info File Upload specifications supports a maximum of 29 fields and therefore expects 28 "," commas to delimit the first 28 fields.

Then, instead of a "," comma, the 29th or last field for each record should be terminated with a carriage return/line feed combo (CRLF) unless it is the last or only record in a file in which case the terminating CRLF is optional.

Field Formatting Expectations

The userinfodataload. [CCYYMMDDHHMMSS].csv file will utilize a simple set of three characters to separate fields, sub-fields separators and repetitions within fields.

- A "," comma is used to separate fields
- A ";" semi-colon is used to separate sub-fields within a single field
- A "]" pipe character is used to separate one-to-many repetitions of data in a single field
- A "~" tilde is used to separate sub-fields within a single **sub** field
- A ":" colon character is used to separate one-to-many repetitions of data in a single **sub** field

Operation Field

This file supports two types of operations. This can be specified in column 3 (C):

- 'FULL' = This operation will process all supported fields in the specification.
- 'STATUS' = This operation will <u>only</u> process the 'Status' field for an existing record. All other fields will be ignored. This operation looks at users by unique ID. If no record is found, an error is logged.
 - Refer to column Operation STATUS Required

Field Mapping

The following table shows which user-related attributes can be loaded into the Spok database in the field order that follows.

Fields in this table are both numbered and lettered (ex: 5(E)) to aid in counting and referring to specific fields as well as for providing an easy crossreference to alpha column headers if the file is viewed in a spreadsheet application.

| Field | | Description | Required for FULL Operation | Supports Repeats for FULL Operation | Required for STATUS Operation | Format | Spok attribute |
|-------|--------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| 1(A) | Targeted Spec Version | Version of the specs that the provided file is targeting | ✓ | | \checkmark | Expected value: 3.0 | |
| 2(B) | File Type | Specifies the file's purpose for subsequent processing within Spok Go | ~ | | ~ | Expected value: USER | |
| 3(C) | Operation | Indicates whether the import will be a full metadata import or status only | ~ | | ~ | Expected value: "FULL" or "STATUS" | |
| 4(D) | Unique ID | A unique ID for an employee from the file's source system | ~ | | ~ | uniqueID | External ID – This field is used to look up existing users for update. |
| 5(E) | Other Known IDs with Producer Codes ³ | Other IDs that identify the user with supported Producer Codes | | ~ | | otherID;producerCode | External reference ID(s) and Attribute(s) |
| 6(F) | Title | Employee title | | | | | User's title |
| 7(G) | Salutation | An employee's preferred salutation | | | | | Common salutations include Mr., Ms., Mrs. and Miss |
| 8(H) | First Name | First name | ~ | | | | User's first name |
| 9(I) | Preferred Name | An employee's preferred name | | | | | An alternative name that is preferred by the employee. Something like "Joe" or "Kris" instead of "Joseph" or "Kristin". |
| 10(J) | Middle Name | Middle Name | | | | | User's middle name |
| 11(K) | Last Name | Last name | ✓ | | | | User's last name |
| 12(L) | Suffix | Suffix (i.e. Jr, Sr, I, II, etc.) | | | | | User's suffix |
| 13(M) | Post-Nominals | Employee Credential Abbreviations | | ✓ | | | User's credentials |

Spok, Inc.

| Field | | Description | Required for FULL Operation | Supports Repeats for FULL Operation | Required for STATUS Operation | _ | Spok attribute |
|-------|-----------------|----------------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------|
| | | (ex: MD, RN) | | Snapshot Update ⁴ | | | |
| 14(1 | N) User Aliases | Other names by which the user might be known | | ✓ Snapshot Update ⁴ | | A single repetition for each unformatted alias name (ex: "firstname middlename lastname") | A list of a user's aliases |

| Field | | Description | Required for FULL Operation | Supports Repeats for FULL Operation | Required for STATUS Operation | Format | Spok attribute |
|-------|--------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------|
| 15(O) | Email ⁵ | Email Address | 4 | | | email;publicFlag | Upon creation of the user, this will be used as the user's username for login to Spok Go. |
| | | | | | | | Existing users will be looked up by email if an External ID is not provided. |
| 16(P) | Phone Numbers with Public/Private Flag ⁶ | Phone numbers for users | | × | | | PhoneNumber;Public Flag;PhoneType |
| | | | | | | | If the PUBLIC/PRIVATE flag is not received, the number will be set with a "PUBLIC" flag by default. |
| 17(Q) | ProcessPagers | Indicates whether 18(R) and 19(S) will be processed or Ignored | √ | ✓ | √ | FieldOperation | Process or Ignore |
| 18(R) | PagerExternalIds | Unique ID of device from external system | | ✓ Snapshot Update ⁴ | | | To process this field 17(Q) FieldOperation must be set to Process |
| 19(S) | PagerNumbers | Pager number corresponding to the pager | | | | | To process this field 17(Q) FieldOperation must be set to Process |
| 20(T) | ProcessCommuni cationNotes | Indicates whether the 21(U) will be processed or Ignored | ✓ | ~ | ~ | FieldOperation | Process or Ignore |
| 21(U) | Communication Notes | Notes for users viewable from Global Search | | ✓ Snapshot Update 4 | | | To process this field 20(T) FieldOperation must be set to Process |
| 22(V) | Specialties ⁷ | Doctor Specialties | | ✓ Snapshot Update ⁴ | | Specialty name(s) | User's list of specialties |
| 23(W) | Specialties External Ids ⁷ | | | ✓ Snapshot Update ⁴ | | Specialty External Ids | External Ids of the Specialties |

| Field | | Description | Required for FULL Operation | Supports Repeats for FULL Operation | Required for STATUS Operation | Format | Spok attribute |
|--------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24(X) | Department ⁸ | Practitioner Departments | | ✓ Snapshot Update ⁴ | | Department name(s) | User's list of departments |
| 25(Y) | Department External Ids ⁸ | Practitioner Departments | | ✓ Snapshot Update ⁴ | | Department External Ids | External Ids of the Departments |
| 26(Z) | Associated Locations ⁹ | Location(s) to which the employee is most closely associated. This field is only needed if the association to the user is to be made by using the names of location. To make location associations to users using a unique/external ID, see column 27(AA) | | ✓ Snapshot Update ⁴ | | LocationType:LocationNa me (repeating, separated by a tilde ~ for each location level, representing associated location and all ancestors) Each associated location is separated by a pipe | User Locations in 'Associations' tab Examples of data Association to a facility: Region:Midwest~Facility:Mayo Association to a building Region:West~Facility:Fairview~Bu ilding:Urgent Care Building Association to multiple facilities: Region:Midwest~Facility:Edina Region:Midwest~Facility:Richfield |
| 27(AA) | Associated Location External Ids ⁹ | Unique/external ID of location(s) to which the employee is associated with. If this field is populated, column 26(z) is not needed. | | ✓ Snapshot Update ⁴ | | LocationId LocationId | Location external id(s) |
| 28(AB) | Status | Activate or Inactivate a User Record | \checkmark | | ✓ | "ACTIVE" or "INACTIVE" | User's status value |
| 29(AC) | Timestamp | Date and time the new/updated user record was written to the file | \checkmark | | \checkmark | CCYYMMDDHHMMSS | |

Spok, Inc.

Spok Go File Upload Specs User Info

Data Upload Details

The following section explains field-level specifics that should help ensure the successful implementation of the Spok Go User Info File Upload.

- Note that if this file is viewed in a spreadsheet application, these fields may not display as intended due to the application's default field formatting. Changing the displayed format of these fields' columns should allow a reviewer to see the column's contents as expected.
- 2) The Unique ID in the 4th field will be used for identifying records in the Spok Go application and be able to determine the need of adding new or update existing user records. If a Unique ID is not present, Is that that are contacted by the health system or users will be updated based on an match on the user email/username.
- Other known IDs that are supported and which would be visible and maintainable by a customer's Spok Go Admin would be user identifiers from Epic (producer code "Epic") and Cerner (producer code "Cerner") as well as provider NPI numbers (producer code "NPPES").

Other possibly known IDs for a user, if sent, will simply be ignored without affecting the processing of the rest of the user's info.

- 4) Repeating fields noted with "Snapshot Update" will replace a user's existing values with new values as they are received in one of these fields. This handling also applies to the receipt of empty fields which will remove any existing data for a previously populated field.
- 5) Further validation of the uniqueness of each user's email address will occur at the time a user record is added/updated for records with Externa]I IDs. Non-unique email addresses will result in logged errors/exceptions that will require the intervention of an Organization Admin to correct in either the originating source system or within Spok Go. For records in Spok Go without an External ID, records will be look up for updates based on a match on the user's email.
- 6) For communication methods where the Public/Private field or sub-field is supported, any value other than "PRIVATE", even an empty field, will result in the attribute being set as "PUBLIC" (viewable by any Spok Go users). Only the word "PRIVATE" in the correct field or sub-field will set the attribute as "PRIVATE" (only viewable by operators, Administrators, and by the user).
- 7) Specialty values for an employee will be matched against a customer's existing list of possible Specialties within Spok Go. Received Specialties that match a customer's existing Specialty list will be added to a user's record. Received Specialties that do not match a customer's existing Specialty list will be skipped and logged for possible follow-up by an Organization Admin. If specialty is associated via a unique/external ID, passing a specialty by name is not required.
- 8) Department values for an employee will be matched against a customer's existing list of possible Departments within Spok Go. Received Departments that match a customer's existing Department list will be added to a user's record. Received Departments that do not match a customer's existing Department list will be skipped and logged for possible follow-up by an Organization Admin. If department(s) associations are made via a unique/external ID, passing a specialty by name is not required.
- 9) Any location(s) to which a user is associated must match existing location values that has already been built in Spok Go. If location(s) associations are made via a unique/external ID, passing a specialty by name is not required.

Integration Risks

The following are possible risks that have been identified:

- Non-curated source data with duplicates or inaccurate data.
- Irregular or inconsistent output of files from source system.
- Poorly formatted CSV files
- Inclusion of incorrect data that cannot be corrected by subsequent user info file uploads (ex: user specialties and departments)

Integration Success Criteria

The integration will be considered successful if the following criteria are met:

• The Spok Go User Info File Upload is implemented per the specifications in this document and users and their user data are being added and updated as expected.

Revision History

The table that follows will provide a history of changes that are made to this document.

| Date | Comment(s) | Author |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| 2019.10.09 | Initial v1.0 of these specs | Todd Thomas |
| 2019.12.02 | Added column for field numbers/Excel columns to the Field Mapping table. | Todd Thomas |
| 2019.12.11 | Added support for multiple pagers per user. | Todd Thomas |
| 2019.12.18 | Added concept of external IDs and Producer Codes for a user's departments and specialties to allow for their population in the file but marked them as unsupported at this time due to other limitations. | Todd Thomas |
| 2019.12.19 | Removed external IDs and Producer Codes for a user's departments and specialties. | Todd Thomas |
| 2019.12.19 | Added handling for explicitly deleting data from select fields. | Todd Thomas |
| 2019.12.23 | Added concept of public/private availability for each of a user's communication types | Todd Thomas |
| 2019.12.23 | Revised "DATA UPLOAD DETAIL" related fields and sub-fields that are included in the specs, but which are not supported at this time, and updated the footnote numbering. | Todd Thomas |
| 2020.02.12 | Corrected field numbers in File Formatting Expectations section. | Todd Thomas |
| 2020.05.26 | Minor changes to the formatting of title page, footer layout and file name. | Todd Thomas |
| 2020.07.27 | Added future support of "Security Role(s)" field. | Todd Thomas |
| 2020.09.14 | Changed font color of previously unsupported "Suffix" and "Post Nominals" fields to indicate that they are now supported. | Todd Thomas |
| 2020.09.14 | Added "Salutation" field as the 6 th field and incremented all subsequent field numbers. 28 fields now included in spec. | Todd Thomas |
| 2020.09.14 | Renamed the "Nickname" field to "Preferred Name" revised the description, moved it to the 8 th field and adjusted the field numbers of the 4 fields that followed. | Todd Thomas |
| 2020.09.15 | Updated handling of user phone number fields to support public/private flags and repeating phone numbers (for fields where repeating phone numbers weren't previously supported). | Todd Thomas |
| 2020.09.22 | Changed field 14(N) from a user's phone extension to their work number and changed the field's font color to indicate that it is now supported. | Todd Thomas |
| 2020.09.28 | Added "User Aliases" field as the 13 th field and incremented all subsequent field numbers. 29 fields now included in spec. | Todd Thomas |
| 2020.09.28 | Changed the expected version of the Targeted Spec Version field along with any other references to the "1.0" version in the specs to "1.1". | Todd Thomas |

| Date | Comment(s) | Author |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2020.11.10 | Added field to represent external ID's from Spok consoles or other third party systems. Removed requirement for producer code. | Zach Hanson |
| 2020.11.18 | Remove repeat support for Phone Numbers as this was not implemented and remove Unique ID support for Specialty and Department as this was not implemented. | Paola Gonzalez |
| 2020.11.22 | Mark the 3(c) as required | Paola Gonzalez |
| 2020.11.23 | Updated expected value for Targeted Spec Version to "1.2" | Zach Hanson |
| 2020.11.24 | Added "Operation" field to indicate a full update or a status update on the entity. Also changed version to 2.0 to be in synch with other import specifications. | Zach Hanson |
| 2020.12.5 | Added additional explanation on 'Operation' functionality and new column for 'Operation Status Required'. Removed the support for Deletes as this was not implemented. Corrected descriptions on Unique ID and corrected phone number section under 'Data Upload Details' | Paola Gonzalez |
| 2021.1.15 | Created Revision 2.1. | Sunil Bhujle |
| 2021.4.12 | Added processing of Pagers and communication notes with the FieldOperation indicator | Sunil Bhujle |
| 2021.6.14 | Added support for custom phone types | Sunil Bhujle |
| 2021.7.7 | Added descriptions for Pagers, Communication Notes and Phone Numbers. | Paola Gonzalez |
| 2021.9.20 | Updated location associations to support 3.0 spec | Zach Hanson |
| | | Paola Gonzalez |